

SAFETY DATA SHEET

DIAMOND EGGSHELL SECTION 1: Identification of the substance/mixture and of the company/ undertaking 1.1. Product identifier Product name DIAMOND EGGSHELL 5 1.2. Relevant identified uses of the substance or mixture and uses advised against **Product use** ŝ. Waterborne coating for interior use. 1.3. Details of the supplier of the safety data sheet ICI Paints AkzoNobel. Wexham Road. Slough, Berkshire, SL2 5DS, U.K. Tel.: +44 (0) 333 222 70 70 www.duluxtrade.co.uk e-mail address of person : duluxtrade.advice@akzonobel.com responsible for this SDS 1.4 Emergency telephone number **Telephone number** : Emergency Telephone : Slough +44 (0) 1753 550000

Version	:	12.01
Date of previous issue	:	8-3-2016

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Product definition	: Mixture
Classification according to Not classified.	D Regulation (EC) No. 1272/2008 [CLP/GHS]
Ingredients of unknown toxicity	: 0%
Ingredients of unknown ecotoxicity	: 0%

See Section 16 for the full text of the H statements declared above.

SECTION 2: Hazards identification

See Section 11 for more detailed information on health effects and symptoms.

2.2. Label elements		
Signal word	:	No signal word.
Hazard statements	1	No known significant effects or critical hazards.
Precautionary statements		
General	:	P102 - Keep out of reach of children. P101 - If medical advice is needed, have product container or label at hand.
Prevention	1	P262 - Do not get in eyes, on skin, or on clothing.
Response	:	P312 - Call a POISON CENTER or doctor if you feel unwell.
Storage		Not applicable.
Disposal	:	P501 - Dispose of contents and container in accordance with all local, regional, national or international regulations.
Supplemental label elements	-	Contains reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1) and 1, 2-benzisothiazol-3(2H)-one. May produce an allergic reaction.
Annex XVII - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles	:	Not applicable.
Special packaging requirem	en	<u>ts</u>
Containers to be fitted with child-resistant fastenings	-	Not applicable.
Tactile warning of danger	1	Not applicable.
2.3. Other hazards		
Voluntary label element (CEPE)	:	Contains 2-methyl-2H-isothiazol-3-one
Other hazards which do not result in classification	1	None known.

SECTION 3: Composition/information on ingredients

3.2 Mixtures : Mixture

Product/ingredient name	Identifiers	% (w/w)	<u>Classification</u> Regulation (EC) No. 1272/2008 [CLP]	Туре
propane-1,2-diol	REACH #: 01-2119456809-23 EC: 200-338-0 CAS: 57-55-6	≥1 - <3	Not classified.	[2]

There are no additional ingredients present which, within the current knowledge of the supplier and in the

concentrations applicable, are classified as hazardous to health or the environment, are PBTs, vPvBs or Substances of equivalent concern, or have been assigned a workplace exposure limit and hence require reporting in this section.

<u>Type</u>

[1] Substance classified with a health or environmental hazard

[2] Substance with a workplace exposure limit

[3] Substance meets the criteria for PBT according to Regulation (EC) No. 1907/2006, Annex XIII

[4] Substance meets the criteria for vPvB according to Regulation (EC) No. 1907/2006, Annex XIII

[5] Substance of equivalent concern

Occupational exposure limits, if available, are listed in Section 8.

SECTION 4: First aid measures

4.1. Description of first aid r	ures	
General	In all cases of doubt, or when symptoms persist, seek medical attention. Never g anything by mouth to an unconscious person. If unconscious, place in recovery position and seek medical advice.	give
Eye contact	Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.	
Inhalation	Remove to fresh air. Keep person warm and at rest. If not breathing, if breathing irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel.	
Skin contact	Remove contaminated clothing and shoes. Wash skin thoroughly with soap and water or use recognised skin cleanser. Do NOT use solvents or thinners.	
Ingestion	If swallowed, seek medical advice immediately and show the container or label. Keep person warm and at rest. Do NOT induce vomiting.	
Protection of first-aiders	No action shall be taken involving any personal risk or without suitable training.	

4.2. Most important symptoms and effects, both acute and delayed

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Notes to physician	 Treat symptomatically. Contact poison treatment specialist immediately if large quantities have been ingested or inhaled.
Specific treatments	: No specific treatment.

See toxicological information (Section 11)

SECTION 5: Firefigh	ting measures
5.1. Extinguishing media Suitable extinguishing	: Recommended: alcohol-resistant foam, CO ₂ , powders, water spray.
media Unsuitable extinguishing media	: Do not use water jet.
5.2. Special hazards arising	from the substance or mixture
Hazards from the substance or mixture	: Fire will produce dense black smoke. Exposure to decomposition products may cause a health hazard.
Hazardous thermal decomposition products	: Decomposition products may include the following materials: carbon monoxide, carbon dioxide, smoke, oxides of nitrogen.
5.3. Advice for firefighters	
Special protective actions for fire-fighters	: Cool closed containers exposed to fire with water. Do not release runoff from fire to drains or watercourses.
Special protective equipment for fire-fighters	: Appropriate breathing apparatus may be required.

SECTION 6: Accidental release measures

6.1. Personal precautions, pro	ote	ective equipment and emergency procedures
For non-emergency personnel	:	Avoid breathing vapour or mist. Refer to protective measures listed in sections 7 and 8.
For emergency responders	:	If specialised clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For non-emergency personnel".
6.2. Environmental precautions	:	Do not allow to enter drains or watercourses. If the product contaminates lakes, rivers, or sewers, inform the appropriate authorities in accordance with local regulations.
6.3. Methods and material for containment and cleaning up	:	Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Preferably clean with a detergent. Avoid using solvents.
6.4. Reference to other sections	:	See Section 1 for emergency contact information. See Section 8 for information on appropriate personal protective equipment. See Section 13 for additional waste treatment information.

SECTION 7: Handling and storage

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

7.1 Precautions for safe handling
Avoid contact with skin and eyes. Avoid inhalation of vapour, spray or mist. Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Put on appropriate personal protective equipment (see Section 8). Never use pressure to empty. Container is not a pressure vessel. Always keep in containers made from the same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or watercourses.

7.2 Conditions for safe storage, including any incompatibilities

Store in accordance with local regulations. **Notes on joint storage** Keep away from: oxidising agents, strong alkalis, strong acids. **Additional information on storage conditions**

Store in a dry, cool and well-ventilated area. Keep container tightly closed.

No smoking. Prevent unauthorised access. Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

7.3 Specific end use(s)

Recommendations

: Not available.

Industrial sector specific solutions

: Not available.

SECTION 8: Exposure controls/personal protection

The information in this section contains generic advice and guidance. Information is provided based on typical anticipated uses of the product. Additional measures might be required for bulk handling or other uses that could significantly increase worker exposure or environmental releases.

8.1 Control parameters

Occupational exposure limits

SECTION 8: Exposure controls/personal protection

Product/ingredient n	ame	Exposure limit values
propane-1,2-diol		EH40/2005 WELs (United Kingdom (UK), 12/2011). TWA: 10 mg/m ³ 8 hours. Form: Particulate TWA: 474 mg/m ³ 8 hours. Form: Sum of vapour and particulates TWA: 150 ppm 8 hours. Form: Sum of vapour and particulates
Recommended monitoring procedures	atmosphere effectiveness use respirato standards, su atmospheres chemical age European St application a and biologica General requ chemical age	et contains ingredients with exposure limits, personal, workplace or biological monitoring may be required to determine the s of the ventilation or other control measures and/or the necessity to ory protective equipment. Reference should be made to monitoring uch as the following: European Standard EN 689 (Workplace s - Guidance for the assessment of exposure by inhalation to ents for comparison with limit values and measurement strategy) andard EN 14042 (Workplace atmospheres - Guide for the nd use of procedures for the assessment of exposure to chemical al agents) European Standard EN 482 (Workplace atmospheres - uirements for the performance of procedures for the measurement of ents) Reference to national guidance documents for methods for the n of hazardous substances will also be required.
DNELs/DMELs		
No DNELs/DMELs available.		
PNECs No PNECs available		
8.2 Exposure controls		
Appropriate engineering controls		quate ventilation. Where reasonably practicable, this should be the use of local exhaust ventilation and good general extraction.
Individual protection measures		
Hygiene measures	before eating period. Appl contaminate	s, forearms and face thoroughly after handling chemical products, g, smoking and using the lavatory and at the end of the working ropriate techniques should be used to remove potentially d clothing. Wash contaminated clothing before reusing. Ensure that tions and safety showers are close to the workstation location.
Eye/face protection	: Use safety e	yewear designed to protect against splash of liquids.
Skin protection		
Hand protection		
combination of chemicals.		n of materials that will give unlimited resistance to any individual or the end use time of the product.
The instructions and informati replacement must be followed	ion provided by	the glove manufacturer on use, storage, maintenance and
Always ensure that gloves are The performance or effectiver	e free from defe	ere is any sign of damage to the glove material. cts and that they are stored and used correctly. e may be reduced by physical/chemical damage and poor
maintenance. Barrier creams may help to pr occurred.	rotect the expos	ed areas of the skin but should not be applied once exposure has
Gloves	to protect the	d or repeated contact use protective gloves. Barrier creams may help exposed areas of skin, they should however not be applied once occurred. Skin should be washed after contact.
	gloves agains Nitrile	l resistant gloves classified under Standard EN 374: Protective st chemicals and micro-organisms. Recommended gloves: Viton® or Time: 480 min
	When prolong protection cla	ged or frequently repeated contact may occur, a glove with a ss of 6 (breakthrough time greater than 480 minutes according to commended. When only brief contact is expected, a glove with a
	07 0 0040	– – <i>– – – – – – – – – – – – – – – – – </i>

SECTION 8: Exposure controls/personal protection

protection class of 2 or higher (breakthrough time greater than 30 minutes according to EN 374) is recommended.

NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: Other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions/specifications provided by the glove supplier.

The user must check that the final choice of type of glove selected for handling this product is the most appropriate and takes into account the particular conditions of use, as included in the user's risk assessment.

Body protection	t applicable.	
Other skin protection	propriate footwear and any additional skin protection measures shoulected based on the task being performed and the risks involved and proved by a specialist before handling this product.	
Respiratory protection	ually no respiratory protection required.	
	espiratory protection in case of dust or spray mist formation. (particle I143 type P2). espiratory protection in case of vapour formation. (half mask with con	
	er A2-P2 till concentrations of 0,5 Vol%.).	
Environmental exposure controls	not allow to enter drains or watercourses.	

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties				
<u>Appearance</u>				
Physical state	:	Liquid.		
Colour	:	Not available.		
Odour	:	Not available.		
Odour threshold	:	Not available.		
рН	:	Not available.		
Melting point/freezing point	:	Not available.		
Initial boiling point and boiling range	:	100°C		
Flash point	:	Not applicable.		
Evaporation rate	1	Not available.		
Upper/lower flammability or explosive limits	:	Not available.		
Vapour pressure	:	Not available.		
Vapour density	:	Not available.		
Relative density	:	1.286		
Solubility(ies)	:	Easily soluble in the following materials: cold water.		
Solubility in water	:	Not available.		
Partition coefficient: n-octanol/ water	:	Not available.		
Auto-ignition temperature	1	Not available.		

SECTION 9: Physical and chemical properties

Decomposition temperature: Not available.Viscosity: Kinematic (room temperature): 5.45 cm²/s

- **Explosive properties**
- : Not available.

: Not available.

- Oxidising properties
- 9.2. Other information

No additional information.

SECTION 10: Stability and reactivity : No specific test data related to reactivity available for this product or its ingredients. 10.1. Reactivity 10.2. Chemical stability : Stable under recommended storage and handling conditions (see Section 7). 10.3. Possibility of : Under normal conditions of storage and use, hazardous reactions will not occur. hazardous reactions 10.4. Conditions to avoid : When exposed to high temperatures may produce hazardous decomposition products. **10.5.** Incompatible materials : Keep away from the following materials to prevent strong exothermic reactions: oxidising agents, strong alkalis, strong acids. 10.6. Hazardous : Under normal conditions of storage and use, hazardous decomposition products decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

There are no data available on the mixture itself. The product is not classified as hazardous according to Regulation (EC) 1272/2008 as amended.

If splashed in the eyes, the liquid may cause irritation and reversible damage. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

Contains 1,2-benzisothiazol-3(2H)-one, reaction mass of: 5-chloro-2-methyl-4-isothiazolin-3-one [EC no. 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC no. 220-239-6] (3:1). May produce an allergic reaction.

Acute toxicity			
ACULE LUXICILY		tovi	icity
	AUUIC	UN	CILY

Conclusion/Commons	
Conclusion/Summary	: Not available.
Acute toxicity estimates	
Not available.	
Irritation/Corrosion	
Conclusion/Summary	: Not available.
Sensitisation	
Conclusion/Summary	: Not available.
Mutagenicity	
Conclusion/Summary	: Not available.
Carcinogenicity	
Conclusion/Summary	: Not available.
Reproductive toxicity	
Conclusion/Summary	: Not available.
Teratogenicity	
Conclusion/Summary	: Not available.
Specific target organ toxic	<u>city (single exposure</u>

SECTION 11: Toxicological information

Not available.

Specific target organ toxicity (repeated exposure)

Not available.

Aspiration hazard

Not available.

Other information : Not available.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself. Do not allow to enter drains or watercourses.

The mixture has been assessed following the summation method of the CLP Regulation (EC) No 1272/2008 and is not classified as hazardous to the environment.

Conclusion/Summary : Not available.

12.2. Persistence and degra	adability
Conclusion/Summary	: Not available.
12.3. Bioaccumulative pote	ntial
12.4. Mobility in soil	
Soil/water partition coefficient (Koc)	: Not available.
Mobility	: Not available.
12.5. Results of PBT and vP	PvB assessment
PBT	: Not applicable.
	P: Not available. B: Not available. T: Not available.
vPvB	: Not applicable.
	vP: Not available. vB: Not available.
12.6. Other adverse effects	: No known significant effects or critical hazards.
SECTION 12: Dispo	a l'annaiderationa

SECTION 13: Disposal considerations

The information in this section contains generic advice and guidance. The list of Identified Uses in Section 1 should be consulted for any available use-specific information provided in the Exposure Scenario(s).

13.1 Waste treatment methods

Product		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Disposal of this product, solutions and any by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non- recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction.
Hazardous waste	:	Within the present knowledge of the supplier, this product is not regarded as hazardous waste, as defined by EU Directive 91/689/EEC.
Disposal considerations	:	Do not allow to enter drains or watercourses. Dispose of according to all federal, state and local applicable regulations. If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned. For further information, contact your local waste authority.
Packaging		
Methods of disposal	:	The generation of waste should be avoided or minimised wherever possible. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible.

SECTION 13: Disposal considerations

Disposal considerations	 Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers. Empty containers must be scrapped or reconditioned. Dispose of containers contaminated by the product in accordance with local or national legal provisions.
Special precautions	: This material and its container must be disposed of in a safe way. Empty containers or liners may retain some product residues. Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers.

SECTION 14: Transport information

Information pertaining to IATA and ADN is considered not relevant since the material is not packaged in the correct approved packaging required of these methods of transport.

	ADR	IMDG
14.1 UN number	Not regulated.	Not regulated.
14.2 UN proper shipping name	Not applicable.	Not applicable.
14.3 Transport hazard class(es) Class	Not applicable.	Not applicable.
Subsidiary class	-	-
14.4 Packing group	Not applicable.	Not applicable.
14.5 Environmental hazards		
Marine pollutant	No.	No.
Marine pollutant substances		Not available.
14.6 Special precautions for user	Transport within user's premises: always transport in closed containers that are upright and secure. Ensure that persons transporting the product know what to do in the event of an accident or spillage.	•
HI/Kemler number	Not available.	
Emergency schedules (EmS)		Not applicable.
14.7 Transport in bulk : Not applicable. according to Annex II of MARPOL and the IBC Code		
Additional information	-	-

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture EU Regulation (EC) No. 1907/2006 (REACH) Annex XIV - List of substances subject to authorisation Annex XIV None of the components are listed. Substances of very high concern None of the components are listed, or the component present is below its threshold. Annex XVII - Restrictions : Not applicable. on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles **Other EU regulations** VOC : Not available. : At least one component is not listed. **Europe inventory Seveso Directive**

This product is not controlled under the Seveso Directive.

International regulations

Chemical Weapon Convention List Schedules I, II & III Chemicals Not listed.

Montreal Protocol (Annexes A, B, C, E)

Not listed.

Stockholm Convention on Persistent Organic Pollutants Not listed.

Rotterdam Convention on Prior Inform Consent (PIC) Not listed.

UNECE Aarhus Protocol on POPs and Heavy Metals

Not listed.

15.2 Chemical Safety : Not applicable. Assessment

SECTION 16: Other information

CEPE code	: 7
Indicates information that h	as changed from previously issued version.
Abbreviations and acronyms	 ATE = Acute Toxicity Estimate CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008] DMEL = Derived Minimal Effect Level DNEL = Derived No Effect Level EUH statement = CLP-specific Hazard statement PBT = Persistent, Bioaccumulative and Toxic PNEC = Predicted No Effect Concentration RRN = REACH Registration Number vPvB = Very Persistent and Very Bioaccumulative
Procedure used to derive the	classification according to Regulation (EC) No. 1272/2008 [CLP/GHS]

Classification	Justification
Not classified.	

SECTION 16: Other information

Full text of abbreviated H statements	: Not applicable.
Full text of classifications [CLP/GHS]	: Not applicable.
Date of printing	: 27-9-2016
Date of issue/ Date of revision	: 27-9-2016
Date of previous issue	: 8-3-2016
Version	: 12.01

Notice to reader

IMPORTANT NOTE The information in this data sheet is not intended to be exhaustive and is based on the present state of our knowledge and on current laws: any person using the product for any purpose other than that specifically recommended in the technical data sheet without first obtaining written confirmation from us as to the suitability of the product for the intended purpose does so at his own risk. It is always the responsibility of the user to take all necessary steps to fulfill the demands set out in the local rules and legislation. Always read the Material Data Sheet and the Technical Data Sheet for this product if available. All advice we give or any statement made about the product by us (whether in this data sheet or otherwise) is correct to the best of our knowledge but we have no control over the quality or the condition of the substrate or the many factors affecting the use and application of the product. Therefore, unless we specifically agree in writing otherwise, we do not accept any liability whatsoever for the performance of the product or for any loss or damage arising out of the use of the product. All products supplied and technical advice given are subject to our standard terms and conditions of sale. You should request a copy of this document and review it carefully. The information contained in this data sheet is subject to modification from time to time in the light of experience and our policy of continuous development. It is the user's responsibility to verify that this data sheet is current prior to using the product.

Brand names mentioned in this data sheet are trademarks of or are licensed to AkzoNobel.

Head Office

AkzoNobel Decorative Coatings BV, Christian Neefestraat 2, 1077 WW Amsterdam, The Netherlands